



# PingXiang Mi'ao Packing Co.,Ltd

Mobile:+86 18870997055 web:www.pxmiaopacking.com Email:info@pxmiaopacking.com

## Product: Plastic Random Packing

### Plastic Tri- Pack

#### Standard size

Size	Surface area	Void ratio	Bulk Density	Number
mm	ft <sup>2</sup> /ft <sup>3</sup>	%	Kg/m <sup>3</sup>	pieces/m <sup>3</sup>
Φ25	85	90	81	81200
Φ32	70	92	70	25000
Φ50	48	93	62	11500
Φ95	38	95	45	1800

#### Materials Physical Property

Performance/Material	PE	PP	RPP	PVC	CPVC	PVDF
Density (g/cm <sup>3</sup> )	0.94-0.96	0.89-0.91	0.93-0.94	1.32-1.44	1.50-1.54	1.75-1.78
Operation Temp. (Centigrade)	90	>100	>120	>60	>90	>150
Chemical corrosion resistance	Good	Good	Good	Good	Good	Good
Compression Strength (Mpa)	>6.0	>6.5	>7.0	>6.0	>8.0	>10.0